



## ZZM series Micro surfacing (Slurry sealer)



**Hangzhou IKOM Machinery Co.,Ltd**



[ikomtech](mailto:ikomtech)



[ikommachinery](https://www.facebook.com/ikommachinery)

[YouTube](https://www.youtube.com/ikom)

[@ikom](https://www.instagram.com/ikom)

**Product pictures:**

**ZZM5315TFC**







**ZZM5255TFC**



## Specifications:

Model	ZZM5315TFC	ZZM5255TFC
Dimension	12250×2500×3450	11200×2495×3400
<b>I. Chassis</b>		
Chassis model	HOWO 8X4	HOWO or SHACMAN 6X4
GVW (kg)	31000	25000
Engine	WD615 	
Power (HP)	310	280
<b>II. Tank and hopper</b>		
Aggregate hopper	12m <sup>3</sup>	10 m <sup>3</sup>
Max. Load capacity	15 m <sup>3</sup>	12 m <sup>3</sup>
Emulsion asphalt tank	4000L	3500L
Water tank	4000L	3500L
Addictive tank	400L	400L
Fine material hopper	2x0.5 m <sup>3</sup>	2x0.5 m <sup>3</sup>
Max. mixer capacity	4500kg/min	3500kg/min
<b>III. Power unit, hydraulic and transmission system</b>		
Auxiliary engine	Cummins 110kw 	Cummins 75kw 
Hydraulic pump	PERMCO,US 	PERMCO,US 
Hydraulic motor	WHITE US 	DANFOSS, Denmark 
Asphalt pump	HX	HX
Gear Unit	SEW, German 	Guomao 
Hydraulic distribute valve	Bucher German 	Hydraforce, US 
Vibrating motor	OL, ITALY 	

IV. Control unit		
PLC	Omron, Japan 	Delta, Taiwan 
Display	Omron, Japan 	 羅昇企業股份有限公司 ACE PILLAR Co., Ltd.
V. Work parameter		
Min. truck speed	1km/h	
Paving thickness	3-15mm	
Paving width	2.5-4.3m	

**Introduction:**





Emulsion asphalt pump

Control Panel

Mixture Discharge



Cummins auxiliary engine



Dual screw mix system




2 mineral fillers tank



Centralized console



PLC control system



Stable belt feeding system



[\\*Optional: 4 Units fiber cutting system](#)



Hydraulic extended spread box

## Factory Profile



IKOM Construction Machinery, China **Top 3 asphalt truck brand**, located in Hangzhou, it is the subsidiary company of ZHUMA Construction Machinery Group, The ZHUMA passed the ISO9001:2000 international quality system certification and products 3C authentication, the products cover Chip sealer, Slurry sealer, Concrete paver, Asphalt finisher, Chipping spreader, Bitumen decanter, emulsion plant and 50 various models, and gradually realize the product standardization and serialization and industrialization.

Our engineer team has 20 years experiences focused on Asphalt machinery technology, and our brand **footprints travel across 55 countries**. IKOM is committed to offering high quality, reliable products and service on time. Your satisfaction is our commitment. Let us be your trusted partner.

### Certificates:





# IKOM SERVICE COMMITMENT

More than 300 technicians have been trained in 35 countries

Set up spare parts centers in Southeast Asia, Africa, and Latin America.

For each model, a detailed operation video is taken in English or Spanish.

Live online answers and video trainings.

13 months warranty after the date of Ex-work.

The claimed parts will be sent by DHL or FEDEX within 3 days.



**FIVE STAR SERVICE**

